

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
Cibola Creek: Approximately 14,500 feet downstream of FM 775	*459
Elm Creek at confluence with Cibola Creek	*464
Elm Creek at 10,700 feet upstream of confluence with Cibola Creek	*465
Approximately 3,600 feet upstream of confluence of Dry Hollow Creek	*483
Just downstream of confluence of Martinez Creek	*524
Maps are available for inspection at Wilson County Courthouse, 1420 Third Street, Floresville, Texas.	
WASHINGTON	
Okanogan (city), Okanogan County (FEMA Docket No. 7118)	
Okanogan River: Approximately 1.3 miles upstream of Oak Street	*834
Approximately 2.5 miles upstream of Oak Street	*835
Maps are available for inspection at the City of Okanogan, Office of Planning, 237 4th Avenue North, Okanogan, Washington.	

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: March 28, 1995.

Richard T. Moore,

Associate Director for Mitigation.

[FR Doc. 95-8183 Filed 4-3-95; 8:45 am]

BILLING CODE 6718-03-P

Federal Emergency Management Agency

44 CFR Part 67

Final Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency (FEMA), Energy.
ACTION: Final rule.

SUMMARY: Base (100-year) flood elevations and modified base (100-year) flood elevations are made final for the communities listed below. The base (100-year) flood elevations and modified base flood elevations are the basis for the floodplain management measures that each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the

National Flood Insurance Program (NFIP).

EFFECTIVE DATES: The date of issuance of the Flood Insurance Rate Map (FIRM) showing base flood elevations and modified base flood elevations for each community. This date may be obtained by contacting the office where the maps are available for inspection as indicated on the table below.

ADDRESSES: The final base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT: Michael K. Buckley, P.E., Chief, Hazard Identification Branch, Mitigation Directorate, 500 C Street SW., Washington, DC 20472, (202) 646-2756.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA or Agency) makes final determinations listed below of base flood elevations and modified base flood elevations for each community listed. The proposed base flood elevations and proposed modified base flood elevations were published in newspapers of local circulation and an opportunity for the community or individuals to appeal the proposed determinations to or through the community was provided for a period of ninety (90) days. The proposed base flood elevations and proposed modified base flood elevations were also published in the **Federal Register**.

This final rule is issued in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR part 67.

The Agency has developed criteria for floodplain management in floodprone areas in accordance with 44 CFR part 60.

Interested lessees and owners of real property are encouraged to review the proof Flood Insurance Study and Flood Insurance Rate Map available at the address cited below for each community.

The base flood elevations and modified base flood elevations are made final in the communities listed below. Elevations at selected locations in each community are shown.

National Environmental Policy Act

This rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act

The Associate Director, Mitigation Directorate, certifies that this rule is

exempt from the requirements of the Regulatory Flexibility Act because final or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the National Flood Insurance Program. No regulatory flexibility analysis has been prepared.

Regulatory Classification

This final rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism

This rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform

This rule meets the applicable standards of section 2(b)(2) of Executive Order 12778.

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is amended as follows:

PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 et seq.; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.11 [Amended]

2. The tables published under the authority of § 67.11 are amended as follows:

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
CONNECTICUT	
Orange (town), New Haven County (FEMA Docket No. 7116)	
Race Brook: Approximately 0.14 mile upstream of Orange Center Road	*108
At upstream corporate limits (approximately 0.6 mile upstream of State Route 114) .	*172
Maps available for inspection at the Department of Public Works, Town Hall, 617 Orange Center Road, Orange, Connecticut.	

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
OHIO					
Bexley (city), Franklin County, (FEMA Docket No. 7097)		Approximately 1,520 feet upstream of CONRAIL	*803	Bishop Run:	
<i>Alum Creek:</i>		<i>Turkey Run:</i>		Approximately 1,000 feet upstream of confluence with Little Walnut Creek	*751
Approximately 1,000 feet upstream of downstream corporate limits	*749	Upstream side of State Route 315 culvert	*739	At Canal Winchester South Road	*780
Approximately 1,250 feet downstream of CONRAIL	*756	Approximately 1,850 feet upstream of Tillbury Avenue at the City of Columbus corporate limits	*781	<i>Little Walnut Creek:</i>	
Maps available for inspection at the City Hall, 2242 East Main Street, Bexley, Ohio.		<i>Little Walnut Creek:</i>		At downstream county boundary	*722
		Downstream corporate limits ...	*730	Approximately 0.70 mile upstream of Hayes Road	*731
		Upstream corporate limits	*731	<i>Lisle Ditch (formerly Big Run Tributary):</i>	
		<i>Big Run:</i>		At confluence with Big Run	*741
		At upstream corporate limits (west of County Route 119) .	*735	Approximately 100 feet downstream of Oregon Road	*756
		<i>Utzingier Ditch:</i>		<i>Big Run:</i>	
		Approximately 200 feet downstream of Rose Hill Road	*882	Approximately 0.90 mile upstream of confluence with Little Walnut Creek	*735
	*776	At upstream corporate limits ...	*892	At downstream county boundary	*809
	*781	<i>Tudor Ditch:</i>		<i>Georges Creek:</i>	
		Approximately 500 feet upstream of confluence with Scioto River	*768	At upstream side of C&O Railroad bridge	*747
		Approximately 857 feet upstream of confluence with Scioto River	*780	Approximately 1,500 feet upstream of U.S. Route 33	*755
		Maps available for inspection at the Fairwood Complex, 1250 Fairwood Avenue, Columbus, Ohio.		<i>Spring Run:</i>	
				Approximately 350 feet upstream of County Route 82 .	*850
				Approximately 0.4 mile upstream of County Route 82 .	*854
		Dublin (city), Franklin County (FEMA Docket No. 7097)		<i>Unnamed Pounding Area:</i>	
		<i>South Fork Indian Run:</i>		In the vicinity of the intersection of Corbett Road and Front Street	*733
	*753	Approximately 1,400 feet upstream of Avery Road	*914	<i>Clover Groff Ditch:</i>	
	*758	At upstream Dublin corporate limits	*940	Approximately 1,060 feet downstream of Interstate Route 70	*929
		<i>Cosgray Ditch:</i>		Approximately 0.66 mile downstream of Elliot Road	*941
		Approximately 425 feet upstream of confluence with Scioto River	*775	<i>Dry Run:</i>	
		Approximately 2,200 feet upstream of Wilcox Road	*921	Approximately 160 feet downstream of the downstream CONRAIL	*764
		<i>Cramer Ditch:</i>		Approximately 550 feet upstream of Hague Avenue	*796
	*801	At upstream side of Dublin Road	*824	<i>Blau Ditch:</i>	
	*826	Approximately 2,500 feet upstream of Wilcox Road	*920	At confluence with Dry Run	*796
	*737	<i>Tri-County Ditch:</i>		Approximately 550 feet upstream of Maclam Drive	*834
	*836	At confluence with South Fork Indian Run	*914	<i>Barbee Ditch:</i>	
		At county boundary	*917	At confluence with Barnes Ditch	*786
		Maps available for inspection at the Planning and Zoning Building, 5800 Shier-Rings Road, Dublin, Ohio.		At Trabue Road	*826
	*818			<i>Barnes Ditch:</i>	
	*838			At downstream corporate limits	*779
		Franklin County (unincorporated areas) (FEMA Docket No. 7105)		Approximately 1,500 feet upstream of confluence of Snyder Run	*824
	*808	<i>Blacklick Creek:</i>		<i>Faust County Ditch:</i>	
	*843	At upstream side of Central College Road (County Route 18)	*1,084	At Hayden Run Road	*935
	*731	Approximately 0.69 mile upstream of Walnut Street (County Route 19)	*1,119	Approximately 1.4 miles upstream of Hayden Run Road	*941
	*790			<i>Hayden Run:</i>	
	*786			At upstream side of CONRAIL	*907
				At Hayden Run Road	*935
				<i>Snyder Run:</i>	

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
Approximately 800 feet upstream of Cross Creek Drive	*823	Maps available for inspection at the Municipal Building, 605 Cherry Street, Groveport, Ohio.		Maps available for inspection at the Village Hall, 1600 Fernwood Avenue, Columbus, Ohio (please contact Joan Klitch, Village Clerk at (614) 486-6993 to arrange for viewing).	
Approximately 1,700 feet upstream of Cross Creek Drive	*830				
<i>Molcomb Ditch:</i>					
At confluence with Tudor Ditch	*820	Harrisburg (village), Franklin County (FEMA Docket No. 7097)			
Approximately 1,700 feet downstream of Interstate Route 270	*857				
<i>Tudor Ditch:</i>		<i>Big Darby Creek:</i>		Riverlea (village), Franklin County (FEMA Docket No. 7097)	
Approximately 875 feet upstream of confluence with Scioto River	*780	At downstream corporate limits	*788		
Approximately 500 feet downstream of Fishinger Boulevard	*851	At upstream corporate limits ...	*789	<i>Olentangy River:</i>	
<i>Cramer Ditch:</i>		Maps available for inspection at the Village Hall, 1092 High Street, Harrisburg, Ohio.		At downstream corporate limits	*746
Approximately 150 feet upstream of confluence with Scioto River	*773			At upstream corporate limits ...	*749
At downstream side of Dublin Road	*773	Hilliard (city), Franklin County (FEMA Docket No. 7097)		Maps available for inspection at the Clerk/Treasurer, 124 West Riverglen, Worthington, Ohio.	
<i>Shallow Flooding Area:</i>		<i>Hayden Run:</i>			
South of County Route 118 and north of C&O Railroad ..	#1	At upstream side of Avery Road	*909	Urbancrest (village), Franklin County (FEMA Docket No. 7097)	
Between Big Run and Lisle Ditch (north of Berger Road and south of Hayes Road) ...	#1	Approximately 900 feet upstream of Avery Road	*910		
Maps available for inspection at the Franklin County Zoning Department, 373 South High Street, 15th Floor, Columbus, Ohio.		<i>Molcomb Ditch:</i>		<i>Baumgardner Ditch:</i>	
		Approximately 225 feet upstream of confluence with Tudor Ditch	*821	Approximately 100 feet downstream of CSX Transportation	*824
		Approximately 200 feet downstream of Lyman Drive	*874	At upstream corporate limits ...	*848
		<i>Tudor Ditch:</i>		Maps available for inspection at the City Hall, 3492 First Avenue, Urbancrest, Ohio.	
		Approximately 675 feet downstream of Fishinger Boulevard	*849		
		Approximately 140 feet downstream of Parkway Lane	*873	Upper Arlington (city), Franklin County (FEMA Docket No. 7097)	
Gahanna (city), Franklin County (FEMA Docket No. 7097)		<i>Clover Groff Ditch:</i>		<i>Turkey Run:</i>	
<i>Uttinger Ditch:</i>		At downstream corporate limits	*936	At downstream corporate limits of Upper Arlington	*781
At downstream corporate limits (downstream of CONRAIL) ..	*893	Approximately 0.66 mile downstream of Elliot Road	*941	Approximately 1,600 feet upstream of downstream corporate limits for Upper Arlington	*794
Maps available for inspection at the City Hall, 200 S. Hamilton Road, Gahanna, Ohio.		Maps available for inspection at the City Hall, 3800 Municipal Way, Hilliard, Ohio.		Maps available for inspection at the City Hall, 3600 Tremont Road, Upper Arlington, Ohio.	
Glenford (village), Perry County (FEMA Docket No. 7112)		Malvern (village), Carroll County (FEMA Docket No. 7112)		Valleyview (village), Franklin County (FEMA Docket No. 7097)	
<i>Jonathan Creek:</i>		<i>Big Sandy Creek:</i>		<i>Dry Run:</i>	
At downstream corporate limits, approximately 550 feet downstream of Main Street ..	*844	Approximately 600 feet downstream of downstream corporate limits	*994	At downstream Village of Valleyview corporate limits ..	*767
At upstream corporate limits, approximately 1,200 feet upstream of Main Street	*848	Approximately 600 feet upstream of upstream corporate limits	*998	At upstream Village of Valleyview corporate limits ..	*779
Maps available for inspection at the Village Clerk's Residence, 123 Mill Street, Glenford, Ohio.		Maps available for inspection at the Village Hall, 116 West Main Street, Malvern, Ohio.		<i>South Fork Dry Run:</i>	
				Approximately 600 feet upstream of confluence with Dry Run	*772
				At upstream Village of Valleyview corporate limits ..	*786
Groveport (village), Franklin County (FEMA Docket No. 7097)		Marble Cliff (village), Franklin County (FEMA Docket No. 7097)		Maps available for inspection at the Village Hall, 432 N. Richardson Avenue, Columbus, Ohio.	
<i>Little Walnut Creek:</i>		<i>Scioto River:</i>			
Approximately 0.47 mile upstream of Hayes Road	*730	Approximately 1,950 feet downstream of Fifth Avenue	*737		
Approximately 250 feet east of Crescent Drive and Delane Road intersection	*734	At CONRAIL	*740		

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: March 28, 1995.

Richard T. Moore,

Associate Director for Mitigation.

[FR Doc. 95-8186 Filed 4-3-95; 8:45 am]

BILLING CODE 6718-03-M

FEDERAL COMMUNICATIONS COMMISSION

47 CFR Part 73

[MM Docket No. 94-144; RM-8554]

Radio Broadcasting Services; Dickeyville, WI

AGENCY: Federal Communications Commission.

ACTION: Final rule.

SUMMARY: This document allots Channel 266A to Dickeyville, Wisconsin, as that community's first local transmission service in response to a petition filed by James F. Munson. See 59 FR 65749, December 21, 1994. The coordinates for Channel 266A at Dickeyville are 42-37-38 and 90-35-31. With this action, this proceeding is terminated.

DATES: Effective May 12, 1995. The window period for filing applications for Channel 266A at Dickeyville, will open on May 12, 1995, and close on June 12, 1995.

FOR FURTHER INFORMATION CONTACT: Kathleen Scheuerle, Mass Media Bureau, (202) 418-2180.

SUPPLEMENTARY INFORMATION: This is a summary of the Commission's *Report and Order*, MM Docket No. 94-144, adopted March 21, 1995, and released March 28, 1995. The full text of this Commission decision is available for inspection and copying during normal business hours in the Commission's Reference Center (Room 239), 1919 M Street, NW, Washington, D.C. The complete text of this decision may also be purchased from the Commission's copy contractors, International Transcription Services, Inc., 2100 M Street, NW, Suite 140, Washington, D.C. 20037, (202) 857-3800.

List of Subjects in 47 CFR Part 73

Radio broadcasting.

Part 73 of Title 47 of the Code of Federal Regulations is amended as follows:

PART 73—[AMENDED]

1. The authority citation for Part 73 continues to read as follows:

Authority: Sec. 303, 48 Stat., as amended, 1082; 47 U.S.C. 154, as amended.

§ 73.202 [Amended]

2. Section 73.202(b), the Table of FM Allotments under Wisconsin, is amended by adding Dickeyville, Channel 266A.

Federal Communications Commission.

John A. Karousos,

Chief, Allocations Branch, Policy and Rules Division, Mass Media Bureau.

[FR Doc. 95-7949 Filed 4-3-95; 8:45 am]

BILLING CODE 6712-01-F

47 CFR Part 73

[MM Docket No. 89-459; RM-7009, RM-7260, RM-7261, RM-7263, RM-7264]

Radio Broadcasting Services; LaGrange and Rollingwood, TX

AGENCY: Federal Communications Commission.

ACTION: Final rule.

SUMMARY: This document denies an Application for Review filed by Fayette Broadcasting Corporation, licensee of Station KBUK, Channel 285A, LaGrange, Texas, directed to a staff action denying its request to substitute Channel 285C2 for Channel 285A and reallocate Channel 285C2 to Rollingwood, Texas. See 58 FR 12903, published March 8, 1993. With this action, the proceeding is terminated.

EFFECTIVE DATE: April 4, 1995.

FOR FURTHER INFORMATION CONTACT: Robert Hayne, Mass Media Bureau, (202) 776-1654.

SUPPLEMENTARY INFORMATION: This is a synopsis of the Commission's *Memorandum Opinion and Order*, MM Docket No. 89-459, adopted March 8, 1995, and released March 28, 1995. The full text of this decision is available for inspection and copying during normal business hours in the FCC Dockets Branch (Room 230), 1919 M Street, NW, Washington, D.C. The complete text of this decision may also be purchased from the Commission's copy contractor, International Transcription service, (202) 857-3800, 2100 M Street, NW, Washington, D.C. 20037.

List of Subjects in 47 CFR Part 73

Radio broadcasting.

Authority: Secs. 303, 48 Stat., as amended, 1082; 47 U.S.C. 154, as amended.

Federal Communications Commission.

William F. Caton,

Acting Secretary.

[FR Doc. 95-8162 Filed 4-3-95; 8:45 am]

BILLING CODE 6712-01-F

GENERAL SERVICES ADMINISTRATION

Board of Contract Appeals

48 CFR Part 6101

RIN Number 3090-AF62

Rules of Procedure of the General Services Administration Board of Contract Appeals

AGENCY: Board of Contract Appeals, General Services Administration.

ACTION: Final rule.

SUMMARY: This document contains revisions to the rules of procedure of the GSA Board of Contract Appeals (Board), which will govern all proceedings before the Board. The revisions implement certain provisions of the Federal Acquisition Streamlining Act of 1994 (Pub. L. 103-355) (FASA or Act) which have amended the Brooks Automatic Data Processing Act, under which the Board hears and decides protests of procurements involving automatic data processing (ADP) equipment, and the Contract Disputes Act of 1978, under which the Board hears and decides contract disputes. The revisions conform the Board's rules of procedure to the amendments made to its jurisdictional statutes.

EFFECTIVE DATE: May 5, 1995.

FOR FURTHER INFORMATION CONTACT: Wilbur T. Miller, Chief Counsel, GSA Board of Contract Appeals, (202) 501-0891.

SUPPLEMENTARY INFORMATION:

A. Regulatory Flexibility Act

The General Services Administration certifies that these revisions will not have a significant economic impact on a substantial number of small entities within the meaning of the Regulatory Flexibility Act (5 U.S.C. 601 *et seq.*).

B. Paperwork Reduction Act

The Paperwork Reduction Act does not apply because the proposed revisions do not impose recordkeeping or information collection requirements, or the collection of information from offerors, contractors, or members of the public which require the approval of OMB under 44 U.S.C. 3501 *et seq.*

C. Effective Dates

Pursuant to Sections 10001 and 10002 of the FASA, these rules (as well as Sections 1432-1434, 1436-1438, and 2351 (c)-(d) of the Act) are applicable to all proceedings filed on or after May 5, 1995. Section 1435 of the Act shall be applicable to cost applications where